ALL PROPERTY OF THE PARTY OF TH					
* ***		2)(1	. 1	
		_ \ (.	94	
)	2)	> 1		
2017	TE SLIP				
PI PA REVIEW ROUT		Date		•	
TOAN'S	MITTAL SLIP				
OUTING AND TRANS			\supset	Initials Date .	
sme, office symbol, room nu	umber.	1 3-1	\mathcal{K}		
			~		
section Chief	-review				
Section Chief					
() - > -	-review				
Chief H-4-4					
	-log ir	<u> </u>			
-PRC					
	-appro	ve			
Schwinn H-4-1	100 111	1110	but	te	
PRC	-copy &	arsar	rlau	ble are retractf	
Smith H-4-4	File -return	10173	1	er Conversation	
Action	For Clearance		七	repare Reply	
Approvel	En Correction		+;	See Me	
As Requested	For Your Inform	ation		Signature	
Circulate	Investigate		Ҥ		
Comment	Justify		1_1		
Coordination					
EMARKS					
			1		
	1 11 17	,	lν	20.	
	GNE				
Review For			. ~ h	neđ	
		Atte			
eck IF:		70'	x 1	Review Form	
and the second s	+v			no sheets -	
High Priori	C1	• N	+ 2	hillZacion	_
(h) Order C	andidate				
(h) Order	,		1 ~*	stract Perior	A
Imminent &	Substantia	al · '	۱ <i>۵</i> ۰	mance Form	٠
Imminent a	ment	,	[⊃a	RIS Entry Form _	
- Endanger	IIIO	• .	KC;	1/12	
				angurances, disposais	
	BECOR	D of app	VO)	als, concours	
no NOT use this f	orm as a rices, as	nd similar		Room No.—Bidg.	
	hal Agency/Post) ,	_	\$ 10160	
FROM: (Name, org. s	ymboi. Avendy	1)	3- Phone No.	
	Gardi	1	7 -	2-11 2039	-
trank	(garal	VICA		OPTIONAL FORM 41 (Rev. 7.76)	
1 rank			0	DA LIAMATA 948	
8041-102					



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION IX

75 Hawthorne Street San Francisco, CA 94105

<< ENFORCEMENT CONFIDENTIAL>>

MEMORANDUM

DATE:

December 6, 1994

SUBJECT:

RFA Review

Facility:

GNB Inc. (formerly Gould Ing)

/RFA/date: 10/31/90

FROM:

Frank Gardner

TO:

Larry Bowerman, Chief

Corrective Action Section

I. FACILITY DESCRIPTION

Facility Name:

GNB Inc. Los Angeles Smelter (formerly Gould Inc.)

Address:

2700 South Indiana Street

Los Angeles (Vernon), CA 90023

Los Angeles County

EPA ID Number:

CAD 097 854 541

DTSC Region:

3

RWQCB Region:

4, Los Angeles

A. Brief Description of Facility Operations and Hazardous Waste Management:

GNB is a secondary lead smelter that buys lead-bearing wastes (mostly spent automotive batteries) and scrap lead from other facilities and smelts them onsite into new lead ingots. The 24 acre site is located in an industrial area of Vernon, California. Prior to 1922, a meat rendering plant was located on the site. Morris Kirk and Sons smelted lead on site from 1922 to 1979 (Morris Kirk and Sons became a division of NL industries in 1973). Gould Inc. bought the site and continued operations from 1979 to 1984. GNB bought the facility in 1984 and continues to operate it at present. Lead smelting operations began at this site in

1922 in the southeast corner of the site, gradually expanding over the next 60 years to cover most of the site. The facility was reconstructed in 1982 by Gould Inc.

Lead-acid batteries received at GNB for recycling are stored, cracked, drained, washed, and separated into their component materials, namely lead, plastic, and rubber. Lead is smelted onsite, and the rubber is used to fuel the smelting furnaces. The plastic chips are trucked to KW plastics in Bakersfield for plastic recycling (a sometimes sloppy process that has resulted in STLC-hazardous lead-containing wastewater dripping from the trucks onto Interstate 5).

The main process units included in the onsite lead smelting operations include battery receiving buildings, raw material preparation system, battery crushers, reverbatory furnace, blast furnace, and baghouses. During the RFA, a total of 38 SWMUs and 2 AOCs were documented. Of the 38 SWMUs, 11 have had documented releases, namely SWMUs 3,6,9,10,11,12,14,15,24,28,&29. According to RCRIS, at least six of the SWMUs at this site are RCRA-regulated units.

B. SWMU Release Inventory:

The following is a table of Solid Waste Management Units (SWMUs) releases and release potential to the various media. Releases are described with either a "D" for Documented, a "V" for Visual, or a "P" for Potential. Potential releases are further characterized as "H," "M," or "L" for High, Medium and Low.

SWMU #	Name	Soil	GW	sw	Air
1	Earthen Disposal Pit	PH	PM	PL	PL
2	Acid Collection/Neutralization Tank	PM	PM	PM	PL
3	Battery Storage Area	V	PM	PM	PL
4	Effluent Treatment Area	PL	PL	PM	PL
5	WW Treatmt Sludge Collection System	PM	PM	PM	PM
6	Earthen Acid Dump Pit	D	D	PH	PM
7	Slag Storage Pile	PM	PM	PM	PM
8	Crushed Battery Storage Area	PM	PM	PM	PL
9	Hard Rubber Chip Storage Area	V	PM	PM	PL
10	Old Battery Separation Building	D	D	PH	PL
11	Old Mixed Metals Extrusion Bldg	PH	D	PH	PL
12	Zinc Alloy Operations Area	PH	D	PM	PL
13	Metal Warehouse	?	?	?	PL

SWMU #	Name	Soil	GW	sw	Air
14	Smelting Pots	D	PH	PH	PL
15	15 Lead Oxide Building & Warehouse		PH	PH	PL
16	Main Smelting Building	PH	PH	PH	PL
17	Blast Furnace Flue Bins	PH	PH	PH	PL
18	Main Smelting Building Baghouses	PM	PM	PH	PL
19	Crushed Battery Storage/Case Elevator	PH	PH	PH	PL
20	Radiation Lab/North Radiation Yard	PH	PM	PH	PL
21	Acid Tanks	PM	PM	PM	PL
22	Sumps	PM	PM	PM	PL
23	Mud and Dross Bins	PH	PM	PM	PL
24	Rainwater Retention Pond	V	PH	PH	PL
25	Truck Wash Pit	PH	PM	PM	PL
26	Truck Dumper	PM	PM	PM	PL
27	Battery Hopper/Oscillating Conveyor	PM	PM	PM	PL
28	Polypropylene Loading Dock	V	PH	PH	PL
29	Crushed Drum Storage Piles	V	PH	PH	PL
30	Battery Storage Areas	PH	PM	PM	PL
31	Reverbatory Furnace Feedback Room	PM	PM	PM	PL
32	Acid Tank and Battery Dump Bin Sump	PM	PM	PM	PL
33	Hammer Mill Conical Collector	PM	PM	PM	PL
34	Muds Holding Tanks	PM	PM	PM	PL
35	Baghouse Dust Slurry Sumps	PM	PM	PM	PL
36	Reverbatory and Soft Lead Baghouses	PM	PM	PM	PL
37	Blast Furnace Feedstock Room	PM	PM	PM	PL
38	Alloy Kettles & Casting Machinery	PM	PM	PM	PL
AOC 1	Two 10,000-Gal Fuel USTs	PM	PM	PM	PL

SWMU #	Name	Soil	GW	sw	Air
AOC 2	Solid Soda Ash Storage Tanks	PH	PM	PM	PL
AOC 3	Offsite Soils (added after RFA)	D	PL	PM	PM

P Release to air. D

releases are indicated in SWMU table.

II. ENVIRONMENTAL SIGNIFICANCE: A. Hazardous Waste Exposure and Constituent Information Instructions: 1. Designate as appropriate: D - documented evidence, V - visual evidence, P -potential for release. Specify documentation, who saw visual evidence, and/or rationale for potential release, if known. 2. Provide released or potentially released listed waste or constituent information to each appropriate media. Include volume of waste released, if known, toxicity, and physical state of contaminants. 3. Indicate whether release has already been remediated. PM Imminent danger to public health/environment. Immediate action required; explain: DTSC Region 3 has documented the presence of lead contamination in offsite surface soils adjacent to the site. This surface soils contamination may pose an immediate hazard. YE Stabilization measures appropriate; explain: Exposure controls or removal actions to prevent exposure to lead-contamininated offsite soils should be implemented. Additional interim measures onsite to prevent/minimize spread of contamination could also be implemented. P Documented releases of lead above Region 9 D Release to soil. D PRG of 400 ppm at several SWMUs as indicated in SWMU table. P Documented release of lead, TCE, D Release to groundwater. D and other contaminants to GW at units indicated in SWMU table. P No documented releases to SW, P Release to surface water. D potential releases are indicated in SWMU table.

V

P No documented releases to air, potential

High Potential for Migration (media:)
Sensitive environmental receptors onsite or within 3 miles Explain:
No releases
Extent of Site Characterization (check one):
X minimal extensive unknown
B. Exposure Considerations: (D - Documented, P - Potential) Skip this section if there is no potential or documented release.
1. Groundwater (GW): If potential exposure is a concern, please specify whether release is "highly suspected" (HS). A highly suspected release to groundwater means that there is known soil contamination from a large volume of mobile constituents with high migration potential where there is no known aquiclude between contaminated soil and ground water.
Current GW drinking water source impacted
Sole Source (Class I) aquifer impacted
X Impacts on potable water aquifer but not currently used for drinking
Depth to GW_70' GW flow direction_WEST_
Direction/Distance to nearby wells 0.7 mi. WEST
Population Served <u>UNKNOWN</u>
2. Surface Water (SW): Los Angeles River
NO SW drinking water source impacted
Direction/Distance to SW0.1 mi. south
> 4 mi. Distance to sensitive environment related to SW contamination

<u>></u>	4 mi. Distance to drinking	g water supply intake or contact point
Ne	et Precipitation10"_	24 hour rainfall 3"
Pe	rmitted outfall yes	Permit Violations ves
N	O Flood prone area	NO 100-yr flood plain
N	O Fishing, recreation w	rater source impacted
<u>N</u>	O Irrigation, livestock v	water source impacted
initial staff prior with the recomn	ritizing process. The infonentiation.	stuary factors should <u>not</u> be considered in the ormation will be considered by management
Check if	contamination affects any	of the following near coastal waters:
	Apra Harbor (Guam) Babelthaup Island Bay Kaiaka Bay (Hawaii) Kailua Bay (Hawaii) Kona Coast (Hawaii) Morro Bay (California) Pago Pago Harbor (An Pearl Harbor (Hawaii) San Diego Bay (Califo Tijuana Estuary (Califo) nerican Samoa) ornia)
Check if 6	contamination affects eithe San Francisco Bay/Del Santa Monica Bay	er of these Estuary projects: Ita
3. <u>Air</u> :		
<u>P</u>	<u>PH</u> Blowing dust; nearby	population
<u>_Y</u>	YES Air permits YES	Permit violations

	PH Can contaminants migrate into air? Airborne dust and soils containing lead.
	<u>0.75 mi.</u> Target Population < 4 miles Nearest residential area, population unknown.
4	l. On site:
	Accessibility: inaccessible limited access poor securityX
	X Observed surface soil contamination Access to offsite surface soils contamination is unrestricted.
III. SIT	E ENVIRONMENTAL PRIORITY
5	Instructions: Assign priority based on technical considerations only. Final priority should be briefly explained in terms of potential exposure to human health and the environment based on the technical considerations in Sec. II.
X	High Priority
] 1	* Known or highly suspected release which has resulted in, or which has high potential for, exposure to human population and sensitive environments (other than near coastal waters and estuary project sites), in the short term (< 10 years). Choose this priority if there is known or highly suspected contamination to a sole source aquifer currently being used.
	Medium Priority
;	* Known or highly suspected release with potential for exposure to human health and sensitive environments (other than near coastal waters and estuary project sites) in the long term (> 10 years).
	Low Priority
	* Known or highly suspected release, but unlikely adverse effect on human health and the environment.

	No Further Action	1		
	* No evidence of a environment.	release that could adversely	affect human l	health and the
<u>X</u>	NCAPS Priority	<u>High</u>	Medium	Low

* Check if NCAPS has been completed and underline appropriate NCAPS-based priority. If the NCAPS-based priority does not agree with your assessment of priority, discuss below.

Comments/Rationale to support priority: Offsite soils are contaminated with lead from the site. Access to these areas is unrestricted, posing a possible immediate hazard. Soil and GW contamination onsite may also pose a potential risk to drinking water supplies.

IV. RCRA PERMITTING STATUS

A. Contact Person(s):

#	Name	Contact Date	Phone	Agency
1	Alan Sorsher	12/6/94	818/551-2892	DTSC-FPB

B. Current Status:

Instructions: For source, indicate file document or numeral for contact person listed above.

X	Operating RCRA TSDF; Source: RCRIS,1
	Not Operating RCRA TSDF; Source:
	Bankrupt Facility; Source:
	Non-Notifying TSDF - should be a RCRA TSDF but didn't submit a Part A permit application. Source:
	Generator only - never operated as a TSDF. Source:

X Permitted TSDF or Seeking Permit; Source: RCRIS, 1
Part B Permit Application Submitted? Y N
Permit Application Review Lead (circle) EPA STATE OTHER (specify)
Corrective Action in (draft) Permit? Y N (Draft permit not yet prepared.)
Expected Permit Issuance Date: fall 1995
Closed or Closing Facility; Source:
Post-Closure permit; Source:
Combination: some units closing, some seeking permit (i.e. partial closure).
Part A Withdrawal Candidate; Source:
RWQCB WDRs requiring investigation and/or remediation in Effect

V. OTHER REGULATORY ACTIVITIES RELEVANT TO CORRECTIVE ACTION

A. Contact Person(s):

#	Name	Contact Date	Phone	Agency
10	Nancy Steele	12/6/94	818/551-2868	DTSC-SEB

B. Activity Instructions: mark all applicable; note any pertinent outstanding violations.
EPA Enforcement Action with Activities Relevant to Corrective Action; Source:
X State Enforcement Activities Relevant to Corrective Action; Source: 1 Date: July 1994 Explain: Soil sampling conducted by SEB during the summer of 1994 confirmed the presence of lead contamination in offsite surface soils.
Regional Water Board Order or WDR Requiring Corrective Action; Source:

VI. C	(based on state actions, level of state staff person's oversight)	
	Mark one:	
	High Medium Low X None	
yet be	Rationale: There have been no cleanup activities to date. Corrective action has not een initiated.	
VII.	FACILITY WILLINGNESS/ABILITY TO PERFORM CORRECTIVE ACTION	
	Facility is cooperative	
	Facility is uncooperative; Explain:	
	X Unknown	
	Facility may be financially unable to complete work.	
VIII.	RECOMMENDATION FOR FURTHER ACTION (mark all applicable) Instructions: Consider factors in Sections I - VII to arrive at final recommendation further action. If several actions are recommended, prioritize as Action 1, 2, etc.	oı
	Imminent and substantial danger to human health or the environment requires issuance of RCRA 7003 Order and/or CERCLA 106 Order.	
	X Stabilization evaluation completed	
•	 X Stabilization required Stabilization not required Stabilization not feasible Further investigation necessary 	
	Issue RCRA 3013 order. Release of hazardous waste presents a substantial hazard to human health or the environment (investigation only).	
	Refer to CERCLA for further follow-up.	
	X No further CERCLA action	

Conduct an RFA
Use a 3007 letter to obtain more information regarding the following items:
Negotiate 3008(h) Consent Order
Incorporate corrective action into post-closure permit through 3004(u) and (v).
Incorporate corrective action into permit through 3004(u) and (v). Allen Sorsher, Unit Chief in DTSC Region 3 permitting branch, has agreed to include corrective action in the permit scheduled to be issued by the fall of 1995.
Include corrective action in closure plan (surface releases near regulated units)
Ongoing or planned State action is sufficient to address release(s).
No further RCRA action at present; re-evaluate next year.
No further RCRA action.
Recommendation Accepted
Larry Bowerman, Chief Corrective Action Section
Environmental Benefits:
Raise priority to due to near coastal waters impacts.
Raise priority to due to estuary project impacts.